

Access Control

ACTIVA® ONE



Electronic Pushbutton Commercial Lock



INSAFE.COM



ACTIVA® ONE

Electronic Pushbutton Commercial Lock

The Insafe Activa One is a smart vandal resistant standalone lockable handle which is self-powered requiring no batteries. The lock is managed by keypad programming, eliminating the need for additional electronic devices and wiring through the door.



The Activa One has PIN access removing the need for keyfobs or magnetic cards and any associated costs with lost or stolen credentials making this a cost effective solution for any business.

The user-friendly design has audio visual indicators notifying users when access is granted or denied. Administration is straightforward with the lock allowing for multiple users and up to 100 available codes. With optional software, audit trails can be generated to review the last 1000 events including the use of mechanical key override.





The lock comes with five different authority levels that allow users to have access to specific lock functions:

Master Level

Performs all set up and programming functions

Manager Level

Administers common programming functions

Access User Level

Entry is granted with a valid PIN

Service Level

Codes for a single event or a single day which can be programmable in advance

Maintenance Level

Information can be uploaded to or from the lock without access being granted



The Activa One offers an optional key override, anti-tamper lockout and a number of operational modes including full lockout and pre-programmed re-locks.

Activa One is pre-assembled for left hand door installations though easily reversed in the field. It is available in satin chrome with the option of both satin brass and dark bronze finishes.

Applications

Gyms and Health Clubs
Retail Shops
Social Clubs
Schools and Universities
Cabins



Features

100 Code PIN Access Control
Code Length Adjustable to Accept 4 to 8 Digits
-35°C to 66°C Outdoor and Indoor Use
2 Hour Fire Door Rating
Self Powered - No Batteries Required
No Wiring To or Through The Door
Simple Administration Via Keypad
4 Authority Access Levels
Cylindrical Latch with a 3 Hour UL / ULC Fire Rating
Re-lock Time - Adjustable from 2 to 20 Seconds
41mm to 50mm Door Thickness
70mm and 60mm Backsets
Optional Key-in-lever Cylinder in Keyway with Black Cap

More Products and Services

SAFES SAFE LOCKS **VAULTS SECURITY CABINETS**

ACCESS CONTROL LOCKING SYSTEMS FIRE SAFES & CABINETS **KEY CABINETS**

SAFE INSTALLATIONS SAFE REMOVALS SAFE ENGINEERS MASTER LOCKSMITHS



INSAFE.COM

0800 52 63 88

Insafe International Limited 2 Mount Ephraim Royal Tunbridge Wells Kent TN4 8AS Telephone 01892 533 000