

MAKE SECURITY A PART OF YOUR EVERYDAY LIFE

Trusted the world over, Chubbsafes is the oldest brand for Safes, Vaults and Vault Doors in the world. Chubbsafes solutions are well known and appreciated for their unique combination of robustness, reliability and modern designs. Having provided high-quality protection solutions for almost two hundred years, Chubbsafes combines experience with innovation to create trustworthy products for maximum protection against burglary, fire and explosives. The Chubbsafes solutions are rigorously tested by international and independent accreditation bodies to guarantee the best protection available.



CONTENTS

RIGHT FOR YOU	4
SAFES BY CERTIFICATION	6
SAFES BY INSURANCE RATING	7
ACCREDITATION AND CERTIFICATIONS EXPLAINED	7
ENTRY LEVEL SAFES	11
CERTIFIED SAFES	19
DEPOSIT SAFES	33
FIRE SAFES & FIRE FILES FIRE & SECURITY CABINETS	39
VAULTS & DOORS SAFE DEPOSIT LOCKERS	49
LOCKING OPTIONS	54
OPTIONAL FITTINGS	57
CONTACT US	58

ICONS EXPLAINED



BURGLARY



FIRE PAPER DOC.



FIRE DATA MEDIA



ANTI-TAMPER



EXPLOSIVES

ENTRY LEVEL SAFES

Viper S2 30P	12
HomeSafe S2	13
AlphaPlus	14
HomeStar	15
Air	16
Air Hotel	17

CERTIFIED SAFES

Viper S2 30P	20
Consul Grade 0	21
Consul Grade I	22
Senator Grade I	23
DuoGuard Grade I	24
DuoGuard Grade II	25
ProGuard Grade III	26
Trident Grade IV	27
Trident Grade V	28
Trident EX Grade V	29
Trident EX Grade VI	30
Trident Double Door Grade IV-	/I 31

DEPOSIT SAFES

Europa Deposit	34
ProGuard DT	35
Omega Deposit	36
Sigma Deposit	37
Counter Unit	38

FIRE SAFES & FIRE FILES FIRE & SECURITY CABINETS

Viper S2 30P	40
Executive	41
ForceGuard	42
Archive Cabinet	43
Duplex S2 60P	44
DPC	45
DataGuard NT	46
DataPlus+ S2 120DIS	47
Fire File 60 & 120	48

VAULTS & DOORS SAFE DEPOSIT LOCKERS

Centurion Vault & Door	50
2000C & 3000F SDL	51
ModuleGuard	52





WHICH SAFE IS RIGHT FOR YOU?

The most important initial question is: What do you want to protect cash and valuables, documents or data media?

CASH AND VALUABLES

Choose from the burglary protection range. This includes safes, security cabinets, vaults and vault doors, designed to withstand physical attacks in different strengths or Grades.

DOCUMENTS AND DATA MEDIA

Choose from the fire protection range which includes safes and filing cabinets designed to keep documents or data media safe from the effects of a fire.

DOCUMENTS

To survive a fire, documents require protection from temperatures higher than 177°C. Therefore safes have to be designed, tested and certified for this task. Without a credible certification, you cannot be sure that your documents are safe.

DATA MEDIA

The same is valid for data media, except here the safe must offer much greater protection due to the sensitivity of the material. If the inside of the cabinet exceeds a mere 55°C, then the information on a CD, DVD or tape will be destroyed.

PLANNING, DELIVERY & INSTALLATION

Insafe will be pleased to help you to select the right safe for you, your business or organisation.

Insafe will provide an expert on-site or remote installation survey and arrange all aspects of delivery, installation, commissioning and training where required.

AFTER SALES SERVICE

Insafe provide a nationwide 24/7, safe and vault engineer emergency and planned maintenance service.

MORE INFORMATION

For further information on Insafe's services see page 58 or contact us:

INSAFE.COM Chubbsafes@Insafe.com 0800 52 63 88



LOCKING OPTIONS

Depending on the range, you can customise your product with a different lock. Thus you can benefit from a comprehensive lock offering that includes the latest industry solutions, which offer a wide range of features. So whether it be the "mechanical combination" lock or an electronic solution, you can be sure to have a lock that will meet your security needs. Below are the key terms associated with the range of locks.

DEFINITIONS

KEY LOCK: A manual key-operated lock.

MECHANICAL COMBINATION: A mechanical keyless dial lock with a changeable combination.

ELECTRONIC LOCK: An electronicallyoperated keypad lock with a changeable combination.

MANAGER MODE: Allows one user to control the functions of other combination holders.

NUMBER OF USERS: The number of users able to program in their own access code.

DURESS FEATURE: An alarm engineer can link the lock into a monitored alarm system. Then, using a given procedure, the lock can be operated, the safe opened and a silent signal given to the monitoring station that this is being done under duress.

TIME DELAY: This feature allows for a pre-set delay between operating the lock and being able to open the safe. The operation may vary between lock types.

TIME LOCK: Time lock allows the user to set periods during which the lock may be operated, e.g. during business hours only. The options available will vary between locks.

AUDIT TRAIL: The lock is able to give a report of usage and may show times of operation, codes used and operations performed (it will vary in detail from model to model).

DUAL CONTROL: Allows two users to enter their details before any operation can be performed.

MORE OPTIONS & INFORMATION

For more lock options see page 54 or contact us:

INSAFE.COM Chubbsafes@Insafe.com 0800 52 63 88



SAFES, VAULTS AND **VAULT DOORS BY CERTIFICATION**

Product Certification standard		Protection or resistance level	Certification body					
	BURGLARY PROTECTION							
Air	n/a	n/a	n/a					
AlphaPlus	n/a	n/a	n/a					
Counter Unit	n/a	n/a	n/a					
Europa Deposit	n/a	n/a	n/a					
ForceGuard	n/a	n/a	n/a					
Homesafe S2	e S2 EN 14450 Level S2		ECB•S					
HomeStar	Domestic Safes	Silver	Sold Secure					
ModuleGuard	EN 1143-1	Grade II to III	ECB•S					
Omega Deposit	n/a	n/a	n/a					
ProGuard	EN 1143-1	Grade II to III	ECB•S					
ProGuard DT	EN 1143-2	Grade DI to DII	ECB•S					
Sigma Deposit	n/a	n/a	n/a					
Consul	EN 1143-1	Grade 0 & I	ECB•S					
2000C SDL	No. 10-516	Safe Deposit Locker	SBSC					
	FIRE PRO	TECTION						
Archive Cabinet	n/a	n/a	n/a					
DataGuard NT	NT Fire 017	120 mins Diskette	SP					
DPC	UL 72	Class 350 2hr	UL					
Executive	NT Fire 017 & UL 72	60 mins Paper & Class 350 1hr	SP & UL					
Fire File 60	UL 72	Class 350 1hr	UL					
Fire File 120	UL 72	Class 350 2hr	UL					
COMBINED BURGLARY AND FIRE PROTECTION								
DataPlus+ EN 14450 & EN 1047-1 & UL 72		Level S2 & 120 mins Diskette & Class 125 2hr	ECB•S & UL					
DuoGuard Grade I	EN 1143-1 & EN 1047-1	Grade I & S 60 P	ECB•S					
DuoGuard Grade II	EN1143-1 & NT Fire 017	Grade II & 90 P	ECB•S & SP					
Duplex S2 60P	EN 14450 & EN 15659	Level S2 & LFS 60 P	ECB•S					
Viper S2 30P	EN 14450 & EN 15659	Level S2 & LFS 30 P	ECB•S					
Senator	EN 1143-1 & EN 15659	Grade I & LFS 30 P	ECB•S					
	COMBINED BURGLARY, FIRE	AND EXPLOSIVE PROTECTION						
Trident	EN 1143-1	Grade IV & V	ECB•S					
Trident EX	EN 1143-1 & NT Fire 017	Grades IV EX to VI EX & 60 P	ECB•S & SP					
	COMBINED BURGLARY, EXPLOSI	VE AND CORE DRILL PROTECTION						
Centurion Door	EN 1143-1	Grade V - XIII Grade V - XIII (EX) Grade VIII - XIII (CD, EX)	ECB•S					
Centurion Vault EN 1143-1		Grade IV - XII Grade V - XII (EX) Grade IX - XII (CD, EX)	ECB•S					

SAFES BY INSURANCE RATING

ECB+S CERTIFIED SAFES								
Grade	Cash rating	Valuables rating	Product	Fire (mins)	Page no.			
S2	£4,000	£40,000	Viper S2 30P HomeSafe S2 Duplex S2 60P	30 60	12 13 44			
0	£6,000	£60,000	Consul		21			
1	£10,000	£100,000	Consul Senator DuoGuard	30 60	22 23 24			
II	£17,500	£175,000	DuoGuard	90	25			
III	£35,000	£350,000	ProGuard		26			
IV	£60,000	£600,000	Trident	60	27			
V	£100,000	£1,000,000	Trident Trident EX	60	28 29			
VI	£150,000	£1,500,000	Trident EX	60	30			

Fire: Certified fire test see individual product page for details

ENTRY LEVEL SAFES								
Cash rating	Valuables rating	Product	Page no.					
£1,000	£10,000	Air	16					
		Executive	41					
		Archive Cabinet	43					
£2,000	£20,000	HomeStar	15					
		ForceGuard	42					
£3,000	£30,000	AlphaPlus	14					

ACCREDITATIONS AND CERTIFICATIONS EXPLAINED



The ECB•S certification mark documents that the safe / security cabinet has been certified by ECB·S, meets the requirements of the European relevant standard (eg. EN 1143-1, EN 1047-1) and is manufactured under a certified, quality management system (ISO 9001).



Approved by AiS The Association of **Insurance Surveyors**

AiS is a respected body of individual risk control experts in the UK insurance market. AiS approved safes are accepted by all major UK Insurance Companies. Safes must be independently tested and certified to gain AiS approval.



Secured by Design

Secured by Design is the only way for products to achieve police accreditation in the UK. To achieve this products must adhere to rigorous test standards demanded by the police. Chubbsafes is a member of Secured by Design.



RISE is a Swedish state-owned research, innovation, testing and certification body.



UL certification is independent and trusted by consumers, businesses, and regulatory authorities worldwide.



Certified by Sold Secure to **Domestic Safe Silver**

Sold Secure, established with the backing of the Home Office, is part of the Master Locksmiths Association and is dedicated to reducing the risk of crime.

CERTIFIED STRENGTH

To provide the appropriate level of protection, the products are tested to comply with the latest industry standards. The various certification tests carried out in independent laboratories for burglary or fire protection are conducted by experienced operators armed with plans of the product and a whole range of tools.

FOR BURGLARY PROTECTION, safes and vaults are awarded grades:

- For security cabinets, there are Grades S1 and S2 (EN 11450)
- · For safes, vaults and vault doors, they are rated from Grade 0 to Grade XIII (EN 1143-1) and from class TL-15 to class 3 (UL 687 and UL 608)
- · High security locks are graded according to EN 1300 or UL 1034
- · Security doors sets, windows and partitions are ranked from RC1 to RC6 (EN 1127)

During the certification process, door panels of the products, bolt works, locks and handles are tested. The certification tests include an attack program that is devised so that various break-in attempts can be made using a selection of tools. A correlation between tool type and the time for which each one is used can be used to obtain a resistance score (resistance unit). The higher the score, the higher the level of resistance. Based on the results obtained, the safe is given a classification and then listed in a resistance grade.

FOR FIRE PROTECTION, these standards vary according to whether you want to protect paper documents, digital media or other highly sensitive objects. This is because the temperature at which data media (e.g. 52°C) and documents (e.g. 177°C) deteriorate differs according to the item protected:

• In order to fully protect data media, industry standards indicate that products should carry ECB•S EN 1047-1, UL 72 Class 125 or NT Fire 017 60/120 DIS.


The ECB•S and UL tests monitor the internal temperature of the data cabinet until it has completely cooled down during the "soakout" period. Assessing products during this period is essential, since internal temperatures can peak up to six to eight hours after a fire has been extinguished. Such tests ensure that all products are comprehensively tested and, upon passing, will fully protect your data media for the specific time period stated.

 For document protection, all products must have an appropriate industry standard 30- or 60-minute paper certificate.

UL72-Class 350, ECB•S EN 1047-1, EN 15659 or NT Fire 017 are acceptable standards for paper document protection.


LEVELS OF RESISTANCE

Alongside extremely strict standards, you will also find a number of others that are less stringent in terms of resistance



* Test UL 72 does not necessarily involve conducting a drop test.

HIGHEST ALLOWED INSIDE **TEMPERATURE**



STANDARDS IN BRIEF

	Standards	Temperature Test	Drop Test	Paper	Data Media	Cooling
✓	EN 1047-1	Up to 1000°C*	9.15 metres	S60P (60 mins) / S120P (120 mins)	S60DIS (60 mins) / S120DIS (120 mins)	Incl. the cooling period
✓	UL 72	Up to 1000°C*	9.15 metres**	Class 350 (1, 2 hours)	Class 125 (1, 2 hours)	Incl. the cooling period
✓	EN 15659	Up to 945°C*	No	LFS 30P (30 mins) / LFS 60P (60 mins)	No application	Not tested
/	NT Fire 017	Up to 1000°C*	No	60 paper (60 mins) / 120 paper (120 mins)	60 diskettes (60 mins) / 120 diskette (120 mins)	Not tested
X	DIN 4102/BS 476	Not tested	Not tested	Not tested	Not tested	Not tested


^{*}Dependent on duration of fire test • **Test UL 72 does not necessarily involve conducting a drop test.


X NB. DIN 4102 / BS 476 are referenced by some manufacturers. They DO NOT guarantee protection of your contents in the event of a fire.

EUROPEAN CERTIFICATION FOR SAFES, VAULTS AND VAULT DOORS EXPLAINED

In order to attest to the quality of a certified product, an information plate is adhered to the inside of the product. This provides you with guarantees that the product has been tested and manufactured in an environment that has been checked by the certifying body.

Below is shown the ECB•S label and the details listed on the information plate.







CHUBBSAFES.CO.UK

ENTRY LEVEL SAFES

Viper S2 30P	12
HomeSafe S2	13
AlphaPlus	14
HomeStar	15
Air	16
Air Hotel	17

ICONS EXPLAINED



BURGLARY



FIRE PAPER DOC.



ANTI-TAMPER ALARM



ECB•S European Certification Body



AIS
The Association
of Insurance
Surveyors



SECURED BY DESIGN ACCREDITED

Products meeting Police approved standards







VIPER S2 30P













KEY FEATURES

- Ideal for protecting cash and valuable items, as well as passports, title deeds and other important documents in the home or office
- EN 14450 certified by ECB•S to level S2 burglary protection
- EN 15659 certified by ECB•S for 30 minutes fire protection for documents
- Attractive dark grey appearance (RAL 7016)

- Meets police approved standards
- Lock options:
 Key Lock: ECB•S certified EN 1300 Class A
 Electronic Lock: ECB•S certified EN 1300 Class B
- The safe door is secured using the new revolutionary "V" bolt system. The design of the locking bolts helps maintain door integrity both when under physical attack and during fire
- Base & rear fixing: the safe is supplied with an anchoring kit to allow secure base or rear fixing to resist unauthorised removal

Model	Product Code	Exte Height	ernal Sizes (Width	mm) Depth*	Into Height	ernal Sizes (ı Width	mm) Depth	Volume (litres)	Weight (kg)	Shelves Included	Fire Rating (mins)
Key Lock											
10K	CHS-30P-10K	300	360	300	210	270	191	11	24	1	30
20K	CHS-30P-20K	300	445	390	210	355	281	21	32	1	30
35K	CHS-30P-35K	450	445	390	360	355	281	35	42	1	30
50K	CHS-30P-50K	600	445	390	510	355	281	51	53	1	30
70K	CHS-30P-70K	800	445	390	710	355	281	71	65	2	30
90K	CHS-30P-90K	1000	445	390	910	355	281	91	78	2	30
Electronic Lock											
10E	CHS-30P-10E	300	360	300	210	270	191	11	24	1	30
20E	CHS-30P-20E	300	445	390	210	355	281	21	32	1	30
35E	CHS-30P-35E	450	445	390	360	355	281	35	42	1	30
50E	CHS-30P-50E	600	445	390	510	355	281	51	53	1	30
70E	CHS-30P-70E	800	445	390	710	355	281	71	65	2	30
90E	CHS-30P-90E	1000	445	390	910	355	281	91	78	2	30

 $^{^{*}}$ Hinges project 20mm beyond the depth. In electronic models the overall projection increases to 30mm



HOMESAFE S2











KEY FEATURES

- Designed to protect cash and valuable items, in the home or office
- Certified by ECB•S in accordance with European Standard EN 14450 to burglary resistance level S2
- Lock options:
 Key Lock: Double-bitted ECB•S certified EN 1300 Class A
 Electronic Lock: ECB•S certified EN 1300 Class B
- Programmable electronic lock (2 users and time delay)

- Meets police approved standards
- 4 sizes
- · Removable shelf supplied in all models
- Attractive dark grey (RAL 7016) appearance
- · Option for dual base or rear fix

Model	Product Code	Exte Height	ernal Sizes (i Width	nm) Depth*	Inte Height	rnal Sizes (n Width	nm) Depth	Volume (litres)	Weight (kg)	Shelf Included
Key Lock										
10K	CHS-S2-10K	300	360	300	210	270	191	11	21	1
20K	CHS-S2-20K	300	445	390	210	355	281	21	28	1
35K	CHS-S2-35K	450	445	390	360	355	281	35	38	1
50K	CHS-S2-50K	600	445	390	510	355	281	51	46	1
Electronic Lock										
10E	CHS-S2-10E	300	360	300	210	270	191	11	21	1
20E	CHS-S2-20E	300	445	390	210	355	281	21	28	1
35E	CHS-S2-35E	450	445	390	360	355	281	35	38	1
50E	CHS-S2-50E	600	445	390	510	355	281	51	46	1

 $^{^{\}star}$ Hinges project 20mm beyond the depth. In electronic models the overall projection increases to 30mm



ALPHAPLUS





BURGLARY-RESISTANT SAFE

RATINGS: CASH £3,000 • VALUABLES £30,000

KEY FEATURES

- Cost-efficient storage solution for home and commercial environments
- Programmable electronic lock (2 user codes)
- Override key
- Internal LED lighting
- External emergency power connection should battery power fail
- Audible anti-tamper alarm

- The door is laser-cut from 6mm steel whilst the safe body is formed by a double layer of steel enclosing a fire retardant fill
- Attractive dark grey appearance (RAL 7016)
- Option for base or rear fix

Model	Product Code	Exte Height	ernal Sizes (Width	mm) Depth*	Inte Height	rnal Sizes (ı Width	mm) Depth	Volume (litres)	Weight (kg)	Shelf Included
Electronic Lock										
15E	CAP-UG-15E	270	350	345	200	280	255	14	22	1
30E	CAP-UG-30E	320	440	395	250	370	305	28	32	1
65E	CAP-UG-65E	610	460	395	540	390	305	64	53	1

^{*}Projection of electronic lock: add 15mm



HOMESTAR

BURGLARY-RESISTANT SAFE RATINGS: CASH £2,000 • VALUABLES £20,000











KEY FEATURES

- Suitable for the storage of cash and valuables such as jewellery, cameras and other items
- Certified by Sold Secure to Domestic Safes Silver Level
- Electronic lock with external emergency power connection
- LED internal light
- Anti-tamper alarm
- One removable flock lined shelf

- Meets police approved standards
- 6mm steel door and 3mm steel body
- Attractive dark grey appearance (RAL 7016)
- 2 size
- Option for base or rear fix

Model	Product Code	Exte Height	ernal Sizes (Width	mm) Depth*	Inte Height	rnal Sizes (r Width	nm) Depth**	Volume (litres)	Weight (kg)
17E	CHS-SS-17E	250	350	250	244	344	200	17	17
54E	CHS-SS-54E	400	400	400	394	394	350	54	32

^{*}Projection of electronic lock and handle: add 15mm • **Fixed shelf supports reduce the internal width by 30mm









BURGLARY-RESISTANT SAFE RATINGS: CASH £1,000 • VALUABLES £10,000

KEY FEATURES

- Compact safe, ideal for the home or office
- 4mm-thick steel door, 2mm-thick steel body frame
- Key lock or electronic lock (1 user code)
- Three sizes
- Model Laptop 25E accommodates most laptop computers
- Removable shelf in model 15

- Override key supplied with electronic version
- Attractive dark grey appearance (RAL 7016)
- Option for base or rear fix

Model	Product Code	Exte Height	ernal Sizes (Width	(mm) Depth*	Inte Height	rnal Sizes (Width	(mm) Depth	Volume (litres)	Weight (kg)
Key Lock									
10K	CAI-UG-10K	200	310	200	190	300	150	9	6
15K	CAI-UG-15K	250	350	250	240	340	200	16	9
Electronic Lock									
10E	CAI-UG-10E	200	310	200	190	300	150	9	6
15E	CAI-UG-15E	250	350	250	240	340	200	16	9
Laptop 25E	CAL-UG-25E	200	430	350	190	420	300	24	11

^{*}Projection of electronic lock: add 20mm $\,\,\,\,\,\,\,\,\,\,\,\,\,\,$ CEU unit and software available at an additional cost



AIR HOTEL

BURGLARY-RESISTANT ROOM SAFE



AIR HOTEL KEY FEATURES

- Compact safe for burglary protection in hotel rooms, student accommodation or other locations with frequent turnover of occupancy
- · 4mm-thick steel door, 2mm-thick steel body
- Anchoring kit included to prevent unauthorised removal
- Fitted with an electronic lock with programmable master code and audit trail
- Override key supplied
- Attractive dark grey appearance (RAL 7016)
- Option for base or rear fix

Model	Product Code	External Sizes (mm) Height Width Depth*		In Height	ternal Sizes (m Width	nm) Depth	Volume (litres)	Weight (kg)	
Electronic Lock									
10E	CAH-UG-10E	200	310	200	190	300	150	9	6
Laptop 25E	CAH-UG-25E	200	430	350	190	420	300	24	12

^{*}Projection of electronic lock on Air Hotel: add 10mm • CEU unit and software available at an additional cost



NATIONWIDE SAFE & VAULT ENGINEERS

Insafe provide a nationwide, 24 hour, fast response service for all types and brands of safes and vaults. Our engineers are highly trained to carry out all types of service from cutting an extra safe key, to opening locked-out safes and vaults.

INSAFE.COM

CERTIFIED SAFES

Viper S2 30P	20
Consul Grade 0	21
Consul Grade I	22
Senator Grade I	23
DuoGuard Grade I	24
DuoGuard Grade II	25
ProGuard Grade III	26
Trident Grade IV	27
Trident Grade V	28
Trident EX Grade V	29
Trident EX Grade VI	30
Trident Double Door Grade IV-VI	31

ICONS EXPLAINED



BURGLARY



FIRE PAPER DOC.



EXPLOSIVES



ECB•S European Certification Body



AIS The Association of Insurance Surveyors



SECURED BY DESIGN ACCREDITED

Products meeting Police approved standards







VIPER S2 30P

BURGLARY & FIRE DUAL PROTECTION SAFE RATINGS: CASH £4,000 • VALUABLES £40,000











KEY FEATURES

- Ideal for protecting cash and valuable items, as well as passports, title deeds and other important documents in the home or office
- EN 14450 certified by ECB•S to level S2 burglary protection
- EN 15659 certified by ECB•S for 30 minutes fire protection for documents
- Attractive dark grey appearance (RAL 7016)

- Meets police approved standards
- Lock options:
 Key Lock: ECB•S certified EN 1300 Class A
 Electronic Lock: ECB•S certified EN 1300 Class B
- The safe door is secured using the new revolutionary "V" bolt system. The design of the locking bolts helps maintain door integrity both when under physical attack and during fire
- Base & rear fixing: the safe is supplied with an anchoring kit to allow secure base or rear fixing to resist unauthorised removal

Model	Product Code	Exte Height	ernal Sizes (Width	mm) Depth*	Into Height	ernal Sizes (ı Width	mm) Depth	Volume (litres)	Weight (kg)	Shelves Included	Fire Rating (mins)
Key Lock											
10K	CHS-30P-10K	300	360	300	210	270	191	11	24	1	30
20K	CHS-30P-20K	300	445	390	210	355	281	21	32	1	30
35K	CHS-30P-35K	450	445	390	360	355	281	35	42	1	30
50K	CHS-30P-50K	600	445	390	510	355	281	51	53	1	30
70K	CHS-30P-70K	800	445	390	710	355	281	71	65	2	30
90K	CHS-30P-90K	1000	445	390	910	355	281	91	78	2	30
Electronic Lock											
10E	CHS-30P-10E	300	360	300	210	270	191	11	24	1	30
20E	CHS-30P-20E	300	445	390	210	355	281	21	32	1	30
35E	CHS-30P-35E	450	445	390	360	355	281	35	42	1	30
50E	CHS-30P-50E	600	445	390	510	355	281	51	53	1	30
70E	CHS-30P-70E	800	445	390	710	355	281	71	65	2	30
90E	CHS-30P-90E	1000	445	390	910	355	281	91	78	2	30

 $^{^{*}}$ Hinges project 20mm beyond the depth. In electronic models the overall projection increases to 30mm



CONSUL GRADE 0



BURGLARY-RESISTANT SAFE

RATINGS: CASH £6,000 • VALUABLES £60,000



KEY FEATURES

- An economical and stylish Grade 0 safe designed for both commercial and domestic use. Suitable for cash, jewellery and other valuables
- Design features integral locking and "squash court" style handle
- $\bullet~$ Certified by ECB+S to European standard EN 1143-1 Grade 0 $\,$
- 8mm thick steel door, 45mm thick steel body, 25mm diameter steel locking bolts
- Electronic lock (2 user codes and time delay)
- AiS approved safe
- Attractive dark grey appearance (RAL 7016)
- · Option for base or rear fix

Model	Product Code	Ext Height	ernal Sizes (Width	mm) Depth*	Inte Height	ernal Sizes (Width	mm) Depth	Volume (litres)	Weight (kg)	Shelves Included
Key Lock										
15K	CZT-G0-15K	280	370	350	190	280	250	13	40	1
25K	CZT-G0-25K	330	450	400	240	360	300	26	54	1
40K	CZT-G0-40K	450	450	400	360	360	300	39	67	1
50K	CZT-G0-50K	570	450	400	480	360	300	52	81	1
65K	CZT-G0-65K	690	450	400	600	360	300	65	94	2
Electronic Lock										
15E	CZT-G0-15E	280	370	350	190	280	250	13	40	1
25E	CZT-G0-25E	330	450	400	240	360	300	26	54	1
40E	CZT-G0-40E	450	450	400	360	360	300	39	67	1
50E	CZT-G0-50E	570	450	400	480	360	300	52	81	1
65E	CZT-G0-65E	690	450	400	600	360	300	65	94	2

^{*}Projection of lock: add 26mm



CONSUL GRADE I



BURGLARY-RESISTANT SAFE

RATINGS: CASH £10,000 • VALUABLES £100,000





KEY FEATURES

- · An economical and stylish Grade I safe designed for both commercial and domestic use. Suitable for cash, jewellery and other valuables
- Design features integral locking and "squash court" style handle
- Certified by ECB•S to European standard EN 1143-1 Grade I
- · 8mm thick steel door, 45mm thick steel body, 25mm diameter steel locking bolts
- Electronic lock (2 user codes and time delay)
- AiS approved safe
- Attractive dark grey appearance (RAL 7016)
- · Option for base or rear fix

Model	Product Code	Exto Height	ernal Sizes (Width	mm) Depth*	Inte Height	ernal Sizes (i Width	mm) Depth	Volume (litres)	Weight (kg)	Shelves Included
Key Lock										
20K	CZT-G1-20K	330	450	330	240	360	230	20	50	1
25K	CZT-G1-25K	330	450	400	240	360	300	26	59	1
40K	CZT-G1-40K	450	450	400	360	360	300	39	72	1
50K	CZT-G1-50K	570	450	400	480	360	300	52	86	1
65K	CZT-G1-65K	690	450	400	600	360	300	65	100	2
80K	CZT-G1-80K	850	450	400	760	360	300	82	117	2
Electronic Lock										
20E	CZT-G1-20E	330	450	330	240	360	230	20	50	1
25E	CZT-G1-25E	330	450	400	240	360	300	26	59	1
40E	CZT-G1-40E	450	450	400	360	360	300	39	72	1
50E	CZT-G1-50E	570	450	400	480	360	300	52	86	1
65E	CZT-G1-65E	690	450	400	600	360	300	65	100	2
80E	CZT-G1-80E	850	450	400	760	360	300	82	117	2

^{*}Projection of lock: add 26mm



SENATOR GRADE I

BURGLARY & FIRE DUAL PROTECTION SAFE RATINGS: CASH £10,000 • VALUABLES £100,000











KEY FEATURES

- Ideal for retail, commercial and home use for cash, jewellery and valuables
- Till drawers: Model 190 -M4 will store most sizes of cash till drawer
- Dual ECB-S Certification: Burglary (EN 1143-1) Grade I and Fire (EN 15659, LFS 30P)
- Secure bolt work and traditional heavy weight design
- Meets police approved standards

Lock options:
 Key Lock: EN 1300-certified Class A
 Electronic Lock: EN 1300-certified Class B

Alternative electronic lock options are available - see page 54

- Each safe is supplied with one adjustable shelf as standard
- Attractive dark grey appearance (RAL 7016)
- · Base fixing option

PRODUCT SPECIFICATIONS

Model	Size	Product Code	Externa Height	l dimensio Width	ons (mm) Depth*	Interna Height	l dimensio Width**	ns (mm) Depth	Internal Volume (litres)	Weight (kg)	Shelf Included	Fire Rating (mm)
Key Lock												
35K	M1	CSE-G1-35K	370	500	403	290	420	263	32	121	1	30
45K	M2	CSE-G1-45K	500	500	403	420	420	263	46	150	1	30
65K	M3	CSE-G1-65K	650	500	403	570	420	263	63	183	1	30
200K	M4	CSE-G1-200K	862	654	563	782	574	423	190	329	1	30
Electronic Lock	c											
35E	M1	CSE-G1-35E	370	500	403	290	420	263	32	121	1	30
45E	M2	CSE-G1-45E	500	500	403	420	420	263	46	150	1	30
65E	M3	CSE-G1-65E	650	500	403	570	420	263	63	183	1	30
200E	M4	CSE-G1-200E	862	654	563	782	574	423	190	329	1	30

^{*}Projection of handle: add 56mm • **Racking strips reduce internal width by 15mm

OPTIONS (excl VAT)

Additional Key/s • Additional Standard Shelf (50kg capacity) • Reinforced Shelf (120kg capacity)

LOCK OPTIONS PAGE 54 • FITTINGS & DEPOSIT OPTIONS ON REQUEST





DUOGUARD GRADE I





BURGLARY & FIRE DUAL PROTECTION SAFE RATINGS: CASH £10,000 • VALUABLES £100,000







KEY FEATURES

- · Constructed using Chubbsafes revolutionary new lightweight barrier material
- Certified by ECB•S to European standard EN 1143-1 Grade I
- 60 minutes fire protection for documents. Certified by ECB•S in accordance with the European standard EN 1047-1 in class S 60P
- Data media insert optional internal fitting gives 60 minutes fire protection certified to NT Fire 017-60 DIS
- · Meets police approved standards
- · Lock options: Key Lock: EN 1300-certified Class A Electronic Lock: EN 1300-certified Class B Alternative electronic lock options are available - see page 54
- · Optional internal fittings include heavy duty shelves, lockable cupboards and drawers - see below and page 57
- Attractive dark grey appearance (RAL 7016)

PRODUCT SPECIFICATIONS

ALSO AVAIALBLE IN GRADE 0

Model	Product Code	Exte Height	rnal Sizes (Width*	mm) Depth**	Inte Height	ernal Sizes (r Width***	nm) Depth	Volume (litres)	Weight (kg)	Shelves Included	Fire Rating (mins)
40	CDG-G1-40	435	500	456	335	400	295	40	100	1	60
60	CDG-G1-60	530	500	521	430	400	360	62	123	1	60
110	CDG-G1-110	690	600	561	590	500	386	114	175	2	60
150	CDG-G1-150	875	600	561	775	500	386	150	212	2	60
200	CDG-G1-200	1150	600	561	1050	500	386	203	264	2	60
300	CDG-G1-300	1600	600	561	1500	500	386	290	337	3	60
350	CDG-G1-350	1600	675	585	1500	575	410	354	374	3	60
450	CDG-G1-450	1850	675	615	1750	575	440	443	436	4	60

*Projection of hinge: add 20mm • **Projection of handle: add 65mm • ***Racking strips reduce internal width by 15mm • Base fixing option

Model	Shelf 60kg max capacity	Heavy Duty Shelf 120kg max capacity	Extendable Shelf	Full Width Drawer	Pull-out Frame	Lockable Cupboard	Data Media Insert S60 DIS
40/60	✓	✓	-	-	-	-	-
110/150/200/300	✓	√	✓	✓	✓	✓	✓
350/450	/	/	/	/	/	/	/

OPTIONS Dual Lock options not available on models 40/60

Key and Electronic Locking • Two Electronic Locks • One Electronic Keypad controlling two locks • Additional Key/s







DUOGUARD GRADE II





BURGLARY & FIRE DUAL PROTECTION SAFE RATINGS: CASH £17,500 • VALUABLES £175,000











KEY FEATURES

- · Constructed using Chubbsafes revolutionary new lightweight barrier material
- Certified by ECB•S to European standard EN 1143-1 Grade II
- 90 minutes fire protection for documents certified by SP Technical Research Institute of Sweden in accordance with fire resistance class NT Fire 017 - 90 paper
- Data media insert optional internal fitting gives 60 minutes fire protection certified to NT Fire 017-60 DIS
- · Meets police approved standards
- · Lock options: Key Lock: EN 1300-certified Class A Electronic Lock: EN 1300-certified Class B Alternative electronic lock options are available - see page 54
- · Optional internal fittings include heavy duty shelves, lockable cupboards and drawers - see below and page 57
- Attractive dark grey appearance (RAL 7016)

PRODUCT SPECIFICATIONS

Model	Product Code	Ext Height	ernal Sizes (Width*	mm) Depth**	Int Height	ernal Sizes (m Width***	nm) Depth	Volume (litres)	Weight (kg)	Shelves Included	Fire Rating (mins)
65	CDG-G2-65	578	526	547	452	400	360	65	265	1	90
110	CDG-G2-110	716	626	587	590	500	386	114	379	2	90
150	CDG-G2-150	901	626	587	775	500	386	150	456	2	90
200	CDG-G2-200	1176	626	587	1050	500	386	203	582	2	90
300	CDG-G2-300	1626	626	587	1500	500	386	290	748	3	90
350	CDG-G2-350	1626	701	611	1500	575	410	354	829	3	90
450	CDG-G2-450	1876	701	641	1750	575	440	443	970	4	90

^{*}Projection of hinge: add 20mm • **Projection of handle: add 65mm • ***Racking strips reduce internal width by 15mm • Base fixing option

Model	Shelf 60kg max capacity	Heavy Duty Shelf 120kg max capacity	Extendable Shelf	Full Width Drawer	Pull-out Frame	Lockable Cupboard	Data Media Insert S60 DIS
65	√	✓	-	-	-	-	-
110/150/200/300	√	✓	✓	√	√	√	✓
350/450	✓	✓	✓	✓	✓	✓	✓

For drawings of these optional fittings see page 57

OPTIONS Dual Lock options not available on model 65

Key and Electronic Locking • Two Electronic Locks • One Electronic Keypad controlling two locks • Additional Key/s



PROGUARD GRADE III



BURGLARY-RESISTANT SAFE RATINGS: CASH £35,000 • VALUABLES £350,000







KEY FEATURES

- · Constructed using Chubbsafes revolutionary new lightweight barrier material
- Certified by ECB•S to European standard EN 1143-1 Grade III
- · Lock options:

Key Lock: EN 1300-certified Class A Electronic Lock: EN 1300-certified Class B

Alternative electronic lock options are available - see page 54

- · Meets police approved standards
- · Optional internal fittings include heavy duty shelves, lockable cupboards and drawers - see below and page 57
- Attractive dark grey appearance (RAL 7016)

PRODUCT SPECIFICATIONS

Model	Product Code	Exte Height	External Sizes (mm) Height Width* Depth**		Internal Sizes (mm) Height Width*** Depth			Volume (litres)	Weight (kg)	Shelves Included
60	CPG-G3-60	530	500	521	440	410	359	65	208	1
110	CPG-G3-110	690	600	561	600	510	396	121	320	2
150	CPG-G3-150	875	600	561	785	510	396	159	386	2
200	CPG-G3-200	1150	600	561	1060	510	396	214	481	2
300	CPG-G3-300	1600	600	561	1510	510	396	305	636	3
350	CPG-G3-350	1600	675	585	1510	585	420	371	701	3
450	CPG-G3-450	1850	675	616	1760	585	450	463	827	4

^{*}Projection of hinge: add 20mm • **Projection of handle: add 65mm • ***Racking strips reduce internal width by 15mm • Base fixing option

Model	Shelf 60kg max capacity	Heavy Duty Shelf 120kg max capacity	Extendable Shelf	Full Width Drawer	Pull-out Frame	Lockable Cupboard	Data Media Insert S60 DIS
60	✓	✓	-	-	-	-	-
110/150/200/300	√	✓	✓	✓	√	✓	✓
350/450	✓	√	✓	✓	✓	✓	✓

For drawings of these optional fittings see page 57

OPTIONS Dual Lock options not available on model 60

Key and Electronic Locking • Two Electronic Locks • One Electronic Keypad controlling two locks • Additional Key/s





TRIDENT GRADE IV



BURGLARY-RESISTANT SAFE

RATINGS: CASH £60,000 • VALUABLES £600,000







KEY FEATURES

- Designed to protect cash and valuables at high-risk sites such as banks, retail stores, leisure operators, jewellers and for private use where high value jewellery and other items require protection
- Constructed using leading edge GRAVITON barrier material
- Attractive dark grey appearance (RAL 7016)

- Meets police approved standards
- Certified by ECB•S to European standard EN 1143-1 Grade IV
- Supplied with two EN 1300 certified Class B key locks as standard
- Alternative electronic lock options are available see page 54
- Optional internal fittings include heavy duty shelves, lockable cupboards and drawers - see below and page 57

PRODUCT SPECIFICATIONS

Model	Product Code	Exte Height	rnal Sizes (Width*	mm) Depth**	Inte Height	rnal Sizes (m Width***	m) Depth	Volume (litres)	Weight (kg)	Locking	Shelves Included
110	CCU-G4-110	790	730	560	620	560	320	111	549	Two Key Locks	2
170	CCU-G4-170	920	730	640	750	560	400	168	681	Two Key Locks	2
210	CCU-G4-210	920	730	740	750	560	500	210	760	Two Key Locks	2
310	CCU-G4-310	1270	730	740	1100	560	500	308	985	Two Key Locks	3
420	CCU-G4-420	1470	810	740	1300	640	500	416	1201	Two Key Locks	3
600	CCU-G4-600	1850	880	740	1680	710	500	596	1558	Two Key Locks	4

^{*}Projection of hinge: add 25mm • **Projection of handle: add 55mm • ***Racking strips reduce internal width by 20mm • Base fixing option

Model	Shelf 50kg max capacity	Heavy Duty Shelf 120kg max capacity	Full Width Drawer	Lockable Cupboard 200mm high	Lockable Cupboard 400mm high
110	✓	✓	-	-	-
170/210/310	✓	✓	√	✓	✓
420	✓	✓	✓	✓	✓
600	✓	✓	✓	✓	✓

Model	Key & Electronic Locking	Two Electronic Locks	One Electronic Keypad (controlling both Locks)	Additional Cut Key
All	✓	✓	✓	✓



TRIDENT GRADEV



BURGLARY-RESISTANT SAFE RATINGS: CASH £100,000 • VALUABLES £1m







KEY FEATURES

- · Ideal for the protection of cash and valuables at high-risk sites such as banks, retail stores, leisure operators, jewellers and for private use where high value jewellery and other items require protection
- Constructed using leading edge GRAVITON barrier material
- Attractive dark grey appearance (RAL 7016)

- · Meets police approved standards
- Certified by ECB•S to European standard EN 1143-1 Grade V
- Supplied with two EN 1300 certified Class B key locks as standard
- Alternative electronic lock options are available see page 54
- · Optional internal fittings include heavy duty shelves, lockable cupboards and drawers - see below and page 57

PRODUCT SPECIFICATIONS


Model	Product Code	Exte Height	ernal Sizes (Width*	mm) Depth**	Inte Height	ernal Sizes (m Width***	ım) Depth	Volume (litres)	Weight (kg)	Locking	Shelves Included
110	CCU-G5-110	790	730	560	620	560	320	111	553	Two Key Locks	2
170	CCU-G5-170	920	730	640	750	560	400	168	688	Two Key Locks	2
210	CCU-G5-210	920	730	740	750	560	500	210	767	Two Key Locks	2
310	CCU-G5-310	1270	730	740	1100	560	500	308	999	Two Key Locks	3
420	CCU-G5-420	1470	810	740	1300	640	500	416	1217	Two Key Locks	3
600	CCU-G5-600	1850	880	740	1680	710	500	596	1575	Two Key Locks	4

*Projection of hinge: add 25mm • **Projection of handle: add 55mm • ***Racking strips reduce internal width by 20mm • Base fixing option

Model	Shelf 50kg max capacity	Heavy Duty Shelf 120kg max capacity	Full Width Drawer	Lockable Cupboard 200mm high	Lockable Cupboard 400mm high
110	✓	✓	-	-	-
170/210/310	✓	✓	✓	✓	✓
420	✓	✓	✓	✓	✓
600	✓	✓	✓	✓	✓

Model	Key & Electronic Locking	Two Electronic Locks	One Electronic Keypad (controlling both Locks)	Additional Cut Key
All	✓	✓	✓	✓





TRIDENT EX GRADE V















KEY FEATURES

FOLIO 111

- · High-risk protection for sites including banks, retailers, leisure operators, jewellers and for high net-worth private homes for jewellery and valuables
- Triple resistance against burglary, fire and explosives
- Certified by ECB•S according to EN 1143-1 for burglary protection
- Certified by SP Technical Research Institute of Sweden according to NT Fire 017 - 60 Paper. 60 minutes fire protection
- Certified by ECB•S according to EN 1143-1 for explosive protection
- · Meets police approved standards
- Supplied with two EN 1300 certified Class B key locks as standard
- Alternative locking options are available see page 54
- Left hand door option available to order
- Optional internal fittings include heavy duty shelves, lockable cupboards and drawers - see below and page 57
- Attractive dark grey appearance (RAL 7016)

ALSO AVAIALBLE IN GRADE IV

PRODUCT SPECIFICATIONS

Model	Product Code	Exter Height	rnal Sizes (Width*	mm) Depth**	Inte Height	rnal Sizes (n Width***	nm) Depth	Volume (litres)	Weight (kg)	Shelves Included	Total Depth with Door(s) at 90° (mm)	Total Width with Door(s) at 180° (mm)	Fire Rating (mins)
110	CTR-G5-110	790	730	560	620	560	320	111	595	2	1205	1420	60
170	CTR-G5-170	920	730	640	750	560	400	168	740	2	1285	1420	60
210	CTR-G5-210	920	730	740	750	560	500	210	825	2	1385	1420	60
310	CTR-G5-310	1270	730	740	1100	560	500	308	1075	3	1385	1420	60
420	CTR-G5-420	1470	810	740	1300	640	500	416	1310	3	1465	1580	60
600	CTR-G5-600	1850	880	740	1680	710	500	596	1695	4	1535	1720	60

*Projection of hinge: add 25mm • **Projection of handle: add 65mm • ***Racking strips reduce internal width by 20mm • Base fixing option

Model	Shelf 50kg max capacity	Heavy Duty Shelf 120kg max capacity	Full Width Drawer	Lockable Cupboard 200mm high	Lockable Cupboard 400mm high
110	✓	✓	-	-	-
170/210/310	✓	✓	✓	✓	✓
420	✓	✓	✓	✓	✓
600	✓	✓	✓	✓	✓

Model	Key & Electronic Locking	Two Electronic Locks	One Electronic Keypad (controlling both Locks)	Additional Cut Key	
All	✓	✓	✓	√	



TRIDENT EX GRADE VI















KEY FEATURES

- · Ultra high-risk protection designed for sites including banks, retailers, leisure operators, jewellers and for high net-worth private homes for jewellery and valuables
- · Triple resistance against burglary, fire and explosives
- Certified by ECB•S according to EN 1143-1 for burglary protection
- Certified by SP Technical Research Institute of Sweden according to NT Fire 017 - 60 Paper. 60 minutes fire protection
- Certified by ECB•S according to EN 1143-1 for explosive protection
- · Meets police approved standards
- Supplied with two EN 1300 certified Class C key locks as standard
- Alternative locking options are available see page 54
- Left hand door option available to order
- Optional internal fittings include heavy duty shelves, lockable cupboards and drawers - see below and page 57
- Attractive dark grey appearance (RAL 7016)

PRODUCT SPECIFICATIONS

Model	Product Code	Exter Height	rnal Sizes Width*	(mm) Depth**	Inte Height	rnal Sizes (ı Width***	mm) Depth	Volume (litres)	Weight (kg)	Shelves Included	Total Depth with Door(s) at 90° (mm)	Total Width with Door(s) at 180° (mm)	Fire Rating (mins)
110	CTR-G6-110	790	730	560	620	560	320	111	635	2	1205	1420	60
170	CTR-G6-170	920	730	640	750	560	400	168	790	2	1285	1420	60
210	CTR-G6-210	920	730	740	750	560	500	210	880	2	1385	1420	60
310	CTR-G6-310	1270	730	740	1100	560	500	308	1150	3	1385	1420	60
420	CTR-G6-420	1470	810	740	1300	640	500	416	1400	3	1465	1580	60
600	CTR-G6-600	1850	880	740	1680	710	500	596	1810	4	1535	1720	60

*Projection of hinge: add 25mm • **Projection of handle: add 65mm • ***Racking strips reduce internal width by 20mm • Base fixing option

Model	Shelf 50kg max capacity	Heavy Duty Shelf 120kg max capacity	Full Width Drawer	Lockable Cupboard 200mm high	Lockable Cupboard 400mm high	
110	✓	✓	-	-	-	
170/210/310	✓	✓	✓	✓	✓	
420	√	√	✓	√	√	
600	✓	✓	✓	✓	✓	

Model	Key & Electronic Locking	Two Electronic Locks	One Electronic Keypad (controlling both Locks)	Additional Cut Key
All	√	√	✓	✓

For drawings of these optional fittings see page 57

LOCK OPTIONS PAGE 54 • OPTIONAL FITTINGS PAGE 57 • DEPOSIT SAFES PAGE 33



TRIDENT EX DOUBLE DOOR







BURGLARY, FIRE & EXPLOSIVE-RESISTANT SAFE RATING (UP TO): CASH £150,000 • VALUABLES £1.5m







KEY FEATURES

- · A range of double door safes in grades IV, V and VI
- · Designed especially for banks but also used by retailers, leisure operators and in high net-worth private dwellings for jewellery and larger items of value
- Storage for high-volumes of cash or valuables
- Certified by ECB•S according to EN 1143-1 for burglary protection
- Certified by SP Technical Research Institute of Sweden according to NT Fire 017 - 60 Paper. 60 minutes fire protection
- Meets police approved standards
- Certified by ECB•S according to EN 1143-1 for explosive protection
- Supplied with two EN 1300 certified key locks as standard
- Alternative locking options are available see page 54
- · Standard and bespoke internal fittings available to order
- · Available in dark grey or white finish

Model	Product Code	External Sizes (mm) Height Width* Depth**		Internal Sizes (mm) Height Width*** Depth		Volume (litres)	Weight (kg)	Shelves Included	Total Depth with Door(s) at 90° (mm)	Total Width with Door(s) at 180° (mm)	Fire Rating (mins)		
Grade IV	Grade IV												
910	CTR-G4-910	1850	1250	740	1680	1080	500	907	2060	4	1385	2568	60
1120	CTR-G4-1120	1850	1500	740	1680	1330	500	1117	2380	4	1465	3068	60
Grade V	Grade V												
910	CTR-G5-910	1850	1250	740	1680	1080	500	907	2195	4	1385	2568	60
1120	CTR-G5-1120	1850	1500	740	1680	1330	500	1117	2535	4	1465	3068	60
Grade VI													
910	CTR-G6-910	1850	1250	740	1680	1080	500	907	2350	4	1385	2568	60
1120	CTR-G6-1120	1850	1500	740	1680	1330	500	1117	2710	4	1465	3068	60

^{*}Projection of hinge: add 25mm • **Projection of handle: add 65mm • ***Racking strips reduce internal width by 20mm • Base fixing option





NATIONWIDE DELIVERY & INSTALLATION

Insafe are here to help you to select the right safe or vault for you, your business or organisation. We will provide an expert on-site or remote installation survey and arrange all aspects of delivery, installation and commissioning.

INSAFE.COM

DEPOSIT SAFES

Europa Deposit	34
ProGuard DT	35
Omega Deposit	36
Sigma Deposit	37
Counter Unit	38

ICONS EXPLAINED





BURGLARY

ANTI-TAMPER ALARM



ECB•S European Certification Body



APPROVED BY
AIS
The Association
of Insurance
Surveyors



SECURED BY DESIGN ACCREDITED

Products meeting Police approved standards







EUROPA DEPOSIT



BURGLARY-RESISTANT DEPOSIT SAFE RATING (UP TO): CASH £100,000

KEY FEATURES

- · High quality deposit safe for commercial use
- · Deposit feature allows multiple users to constantly deposit cash and valuables securely whilst the main door of the safe remains locked
- Deposit drawer takes packages up to 110h x 320w x 200d mm
- Deposit drawer secured by double bitted key lock
- · Anti-fishing device to prevent removal of contents once deposited into drawer and retaining plate fitted as standard
- · Optional internal fittings include a package retaining shelf or a lockable cupboard to receive deposits - see page 57
- Can be customised with locking options to both safe and deposit drawer
- Alternative locking options are available see page 54
- Recommended cash rating of up to £100,000 (see table below)
- Light grey finish (RAL 9002)
- · Base fixing option

PRODUCT SPECIFICATIONS

Model	Product Code	Exte Height	rnal Sizes (Width	(mm) Depth*	Inte Height	rnal Sizes (Width	mm) Depth	Internal Volume (litres)**	Weight (kg)	Locking	Total Depth with Door(s) at 90° (mm)	
10K												
60 - Size 1	CED-G1-60	882	528	603	460	360	360	60	525	Key Lock	1076	
120 - Size 2	CED-G1-120	972	668	663	550	500	420	116	694	Key Lock	1276	
35K	35K											
120 - Size 2	CED-G3-120	972	668	663	550	500	420	116	754	Two Key Locks	1276	
180 - Size 3	CED-G3-180	1272	668	663	850	500	420	180	918	Two Key Locks	1276	
100K												
140 - Size 2	CED-G5-140	972	668	663	588	538	444	140	798	Two Key Locks	1276	
210 - Size 3	CED-G5-180	1272	668	663	888	538	444	212	1052	Two Key Locks	1276	

Model	Additional Cut Key	Electronic Locking	Retaining Shelf System	Retaining Cupboard System
All	✓	✓	✓	✓

For drawings of these optional fittings see page 57

LOCK OPTIONS PAGE 54 • OPTIONAL FITTINGS PAGE 57





PROGUARD DT



BURGLARY-RESISTANT DEPOSIT SAFE RATINGS (UP TO): CASH £17,500 • VALUABLES £175,000







KEY FEATURES

- · Certified cash deposit safe ideal for environments in which large amounts of cash are handled and require a deposit facility
- Certified by ECB•S to European standard EN 1143-2 D in Grades DI & DII
- Deposit feature allows multiple users to constantly deposit cash and valuables securely whilst the main door of the safe remains locked
- Deposit drawer takes packages up to: 30h x 430w x 220d mm (except model 60 - 30h x 330w x 220d mm)
- · Deposit drawer fitted with a Class A key lock as standard
- · Anti-fishing device to prevent removal of contents once deposited into drawer and retaining plate fitted as standard
- Optional internal fittings include a package retaining shelf or a lockable cupboard to receive deposits - see page 57
- Alternative locking options are available for both the main safe door and the deposit drawer - see page 54
- Meets police approved standards
- Attractive dark grey appearance (RAL 7016)
- · Base fixing option

PRODUCT SPECIFICATIONS

Model	Product Code	Ext Height	ernal Sizes (r Width*	nm) Depth**	Height	Internal Si Height***	zes (mm) Width****	Depth	Internal Volume (litres)	Weight (kg)		
Grade DI	Grade DI											
60	CPD-G1-60	687	500	521	587	314	400	360	45	162		
110	CPD-G1-110	847	600	561	747	474	500	386	91	218		
150	CPD-G1-150	1052	600	561	932	659	500	386	127	242		
200	CPD-G1-200	1307	600	561	1207	934	500	386	180	290		
Grade DII												
60	CPD-G2-60	687	500	521	587	314	400	360	45	302		
110	CPD-G2-110	847	600	561	747	474	500	386	91	426		
150	CPD-G2-150	1052	600	561	932	659	500	386	127	499		
200	CPD-G2-200	1307	600	561	1207	934	500	386	180	602		

*Projection of hinge: add 20mm * **Projection of handle: add 65mm * ***Height and litres shown are usable heights and volumes below anti-fishing devices * ****Racking strips reduce internal width by 15mm

Model	Additional Cut Key	Key & Electronic Lock	Retaining Shelf System	Retaining Cupboard System
All	1	1	1	_/

For drawings of these optional fittings see page 57

LOCK OPTIONS PAGE 54 • OPTIONAL FITTINGS PAGE 57





OMEGA DEPOSIT



BURGLARY-RESISTANT DEPOSIT SAFE

RATING: CASH £3,000

KEY FEATURES

- Ideal for retailers and where cash or other items need to be deposited without opening the main safe door
- 10mm steel door, 6mm steel body, 20mm diameter steel locking bolts
- · Anti-fishing device prevents removal of deposited items
- 2 sizes
- Model 48 Size 2 fitted with shelf

- Lock options:
 - Double bitted 8-lever key lock
 - Pulse 10 programmable electronic lock with 1 master,
 1 manager and 8 user codes. Programmable time delay function and optional dual user and duress alarm mode
- Alternative locking options are available see page 54
- Anchoring kit included to prevent unauthorised removal
- Attractive dark grey appearance (RAL 7016)

PRODUCT SPECIFICATIONS

Model	Product Code	Exte Height	ernal Sizes (n Width	nm) Depth*	Into Height	ernal Sizes (m Width	m) Depth	Internal Volume (litres)	Weight (kg)
Key Lock									
24 - Size 1	COD-UG-24K	455	340	380	212	328	308	24	54
48 - Size 2	COD-UG-48K	698	340	380	455	328	308	48	75
Electronic Lock									
24 - Size 1	COD-UG-24E	455	340	380	212	328	308	24	54
48 - Size 2	COD-UG-48E	698	340	380	455	328	308	48	75

*Projection of door handle: add 42mm * Deposit opening measures 80 x 265 x 220 mm (H x W x D) The electronic lock fitted may differ in appearance but not funtion

LOCK OPTIONS PAGE 54 • OPTIONAL FITTINGS ON REQUEST





SIGMA DEPOSIT



BURGLARY-RESISTANT DEPOSIT SAFE

RATING: CASH £2,000

KEY FEATURES

- Easy-to-operate deposit solution for burglary protection
- 8mm plate steel door, 25mm diameter steel locking bolts
- Deposit slot (170mm x 16mm) fitted with an anti-fishing device to prevent unauthorised removal of deposited items
- Shelf supplied in size 50
- · Override key supplied with electronic version

- · Lock options:
 - Double bitted 8-lever key lock
 - Programmable electronic lock (sizes 40 and 50 only) fitted with anti-tamper alarm
- · Alternative locking options are available see page 54
- Attractive dark grey appearance (RAL 7016)
- · Option for base and/or rear fix

PRODUCT SPECIFICATIONS

Model	Product Code	Exte Height	ernal Sizes (r Width	nm) Depth*	Inte Height	rnal Sizes (ı Width	mm) Depth	Internal Volume (litres)	Weight (kg)		
Key Lock	Key Lock										
30 - Size 1	CSD-UG-30K	305	375	350	299	369	289	32	27		
40 - Size 2	CSD-UG-40K	375	375	350	369	369	289	39	33		
50 - Size 3	CSD-UG-50K	475	375	350	469	369	289	50	38		
Electronic Lock											
40 - Size 2	CSD-UG-40E	375	375	350	369	369	289	39	33		
50 - Size 3	CSD-UG-50E	475	375	350	469	369	289	50	38		

^{*}Projection of electronic lock: add 15mm



COUNTER UNIT



BURGLARY PROTECTION FOR BANKNOTES

KEY FEATURES

- Helps prevent banknote theft at cash tills
- · Under the counter installation for discreet use
- · Solid sheet steel construction
- Stores up to 350 banknotes
- Easy-to-reach deposit slot

- Two key locks one to open the storage unit and one to release it from the counter
- Electronic options
- Other sizes available

PRODUCT SPECIFICATIONS

Model	Product Code	Height	External Sizes (mm) Width	Depth	Note Capacity (quantity)	Weight (kg)
350	CCU-UG-350	235	105	190	350	2.4

OTHER COUNTER SAFE PRODUCTS AVAILABLE • CHUBBSAFES.CO.UK



FIRE SAFES FIRE FILES FIRE & SECURITY CABINETS

Viper S2 30P	40
Executive	41
ForceGuard	42
Archive Cabinet	43
Duplex S2 60P	44
DPC	45
DataGuard NT	46
DataPlus+ S2 120DIS	47
Fire File 60 & 120	40

ICONS EXPLAINED







FIRE DATA MEDIA



BURGLARY



ECB•S European Certification Body




UL Underwriters Laboratories



RISE
Research
Institute
of Sweden







VIPER S2 30P















KEY FEATURES

- Ideal for protecting cash and valuable items, as well as passports, title deeds and other important documents in the home or office
- EN 14450 certified by ECB•S to level S2 burglary protection
- EN 15659 certified by ECB-S for 30 minutes fire protection for documents
- Attractive dark grey appearance (RAL 7016)

- Meets police approved standards
- Lock options:
 Key Lock: ECB•S certified EN 1300 Class A
 Electronic Lock: ECB•S certified EN 1300 Class B
- The safe door is secured using the new revolutionary "V" bolt system. The design of the locking bolts helps maintain door integrity both when under physical attack and during fire
- Base & rear fixing: the safe is supplied with an anchoring kit to allow secure base or rear fixing to resist unauthorised removal

PRODUCT SPECIFICATIONS

Model	Product Code	Ext Height	ernal Sizes Width	(mm) Depth*	Int Height	ernal Sizes Width	(mm) Depth	Volume (litres)	Weight (kg)	Shelves Included	Fire Rating (mins)
Key Lock	Key Lock										
10K	CHS-30P-10K	300	360	300	210	270	191	11	24	1	30
20K	CHS-30P-20K	300	445	390	210	355	281	21	32	1	30
35K	CHS-30P-35K	450	445	390	360	355	281	35	42	1	30
50K	CHS-30P-50K	600	445	390	510	355	281	51	53	1	30
70K	CHS-30P-70K	800	445	390	710	355	281	71	65	2	30
90K	CHS-30P-90K	1000	445	390	910	355	281	91	78	2	30
Electronic Lock											
10E	CHS-30P-10E	300	360	300	210	270	191	11	24	1	30
20E	CHS-30P-20E	300	445	390	210	355	281	21	32	1	30
35E	CHS-30P-35E	450	445	390	360	355	281	35	42	1	30
50E	CHS-30P-50E	600	445	390	510	355	281	51	53	1	30
70E	CHS-30P-70E	800	445	390	710	355	281	71	65	2	30
90E	CHS-30P-90E	1000	445	390	910	355	281	91	78	2	30

 $^{^*} Hinges\ project\ 20 mm\ beyond\ the\ depth.\ In\ electronic\ models\ the\ overall\ projection\ increases\ to\ 30 mm\ depth$



EXECUTIVE









KEY FEATURES

- Certified compact fire safe designed to protect valuable documents and up to £1,000 cash, ideal for home or office
- Certified by SP Technical Research Institute of Sweden according to NT Fire 017 for up to 60 minutes fire protection of documents
- Certified by Underwriter's Laboratories according to Class 350 for up to 60 minutes fire protection of documents
- Overall body thickness of 50mm, comprising of an inner and outer steel body containing a specially formulated fire-resistant solid barrier material
- Overall door thickness of 66mm
- Anchoring kit to securely fix the safe in the floor and prevent any unauthorised removal
- Lock options:
 - Cylinder lock with a secure flat profile key
 - Programmable electronic lock
- 4 sizes
- Attractive light grey appearance (RAL 7035)

PRODUCT SPECIFICATIONS

Model	Product Code	Exte Height	ernal Sizes Width	(mm) Depth*	Inte Height	rnal Sizes Width	(mm) Depth	Volume (litres)	Weight (kg)	Tray	Shelves Included	Fire Rating (mins)
Key Lock												
15K	CEX-UG-15K	300	390	320	210	310	215	14	25	1	-	60
25K	CEX-UG-25K	345	425	450	240	320	320	25	45	1	-	60
40K	CEX-UG-40K	525	410	450	415	305	320	41	57	1	1	60
65K	CEX-UG-65K	670	550	510	515	395	340	71	120	-	2	60
Electronic Lock												
15E	CEX-UG-15E	300	390	320	210	310	215	14	25	1	-	60
25E	CEX-UG-25E	345	425	450	240	320	320	25	45	1	-	60
40E	CEX-UG-40E	525	410	450	415	305	320	41	57	1	1	60
65E	CEX-UG-60E	670	550	510	515	395	340	71	120	-	2	60

^{*}Electronic lock projection (30mm) and handle projection on model 65 (40mm) not included



FORCEGUARD



BURGLARY-RESISTANT CABINET

RATINGS: CASH £2,000 • VALUABLES £20,000

KEY FEATURES

- · Multipurpose burglar-resistant safe cabinet for the storage of cash, especially bulk coin but also useful for larger items of value
- Single-wall body constructed from 3mm solid steel. Doors have a total thickness of 52mm and open to 180°
- 20mm diameter steel locking bolts
- Relocking device for additional protection against forced entry
- · Cabinet should be fixed to the floor via the anchoring points in the base
- · Lock options: Key Lock: EN 1300-certified Class A Electronic Lock: EN 1300-certified Class B Alternative electronic lock options are available - see page 54
- 4 sizes. Model 240 Size 1 is single door. All other sizes are double door
- · Light grey finish (RAL 9002)
- · Base fixing option

PRODUCT SPECIFICATIONS

Model	Product Code	Number of Doors	Exte Height	rnal Sizes (Width	mm) Depth*	Inter Height	rnal Sizes (ı Width	mm) Depth	Volume (litres)	Weight (kg)	Shelves Included
Key Lock											
240 - Size 1	CFG-UG-240K	1	1000	600	450	975	575	400	236	80	3
540 - Size 2	CFG-UG-540K	2	1500	900	450	1475	875	400	534	140	4
680 - Size 3	CFG-UG-680K	2	1900	900	450	1875	875	400	680	225	4
920 - Size 4	CFG-UG-920K	2	1900	1220	450	1875	1195	400	920	275	4
Electronic Lock											
240 - Size 1	CFG-UG-240E	1	1000	600	450	975	575	400	236	80	3
540 - Size 2	CFG-UG-540E	2	1500	900	450	1475	875	400	534	140	4
680 - Size 3	CFG-UG-680E	2	1900	900	450	1875	875	400	680	225	4
920 - Size 4	CFG-UG-920E	2	1900	1220	450	1875	1195	400	920	275	4

^{*}Projection of hinge: add 50mm

OPTIONS

Additional Key/s • Mechanical Combination Lock • Electronic Lock - Pulse 10

LOCK OPTIONS PAGE 54 • OPTIONAL FITTINGS ON REQUEST





ARCHIVE CABINET



FIRE-RESISTANT DOCUMENT CABINET

RATINGS: CASH £1,000 • VALUABLES £10,000

KEY FEATURES

- · Multipurpose fire-resistant safe cabinet for the storage of documents and other paper media
- · Steel, double-wall construction insulated with special fireresistant barrier material
- Three-way solid steel boltwork for enhanced security
- Anchor points in base allow the cabinet to be fixed to the floor
- · Lock options: Key Lock: EN 1300-certified Class A Electronic Lock: EN 1300-certified Class B Alternative electronic lock options are available - see page 54
- Optional internal fittings include a removable shelf, pull-out file frame, lockable compartment - see page 57
- 4 sizes
- Attractive light grey appearance (RAL 7035)

PRODUCT SPECIFICATIONS

Model	Product Code	Exte Height	rnal Sizes (Width	mm) Depth*	Inte Height	rnal Sizes (r Width	nm) Depth	Volume (litres)	Weight (kg)	Shelves Included	
Key Lock	Key Lock										
325K	CAC-UG-325K	1500	700	550	1290	594	430	325	95	3	
450K	CAC-UG-450K	1950	700	550	1780	594	430	450	120	4	
640K	CAC-UG-640K	1950	950	550	1780	844	430	640	150	4	
880K	CAC-UG-880K	1950	1260	550	1780	1154	430	880	200	4	
Electronic Lock											
325E	CAC-UG-325E	1500	700	550	1290	594	430	325	95	3	
450E	CAC-UG-450E	1950	700	550	1780	594	430	450	120	4	
640E	CAC-UG-640E	1950	950	550	1780	844	430	640	150	4	
880E	CAC-UG-880E	1950	1260	550	1780	1154	430	880	200	4	

^{*}Projection of handle: add 50mm

Model	Additional Cut Key	Shelf	Pull-out Frame	Lockable Compartment
325/450	✓	✓	✓	✓
640	✓	✓	✓	✓
880	✓	✓	✓	✓

For drawings of these optional fittings see page 57

LOCK OPTIONS PAGE 54 • OPTIONAL FITTINGS PAGE 57





DUPLEX S2 60P





FIRE-RESISTANT DOCUMENT CABINET - 60 MINS RATINGS: CASH £4,000 • VALUABLES £40,000







KEY FEATURES

- · Certified combined fire and burglary-resistant double door safe for documents and other valuables in offices and other commercial premises
- Certified by ECB•S according to EN 15659 Level LFS 60 P for up to 60 minutes fire protection of documents
- Certified by ECB•S according to EN 14450 Level S2 for burglary protection
- · Anchor points in the base to fix the cabinet to the floor
- · Low-height model 450 is ideal for under window installation

- · Meets police approved standards
- · Internal ladder racking system for flexible positioning of the fittings
- EN 1300 Class A certified key lock fitted as standard
- · Optional internal fittings: removable shelf, pull-out file frame - see page 57
- Shelves are designed to accept A4 suspension files
- · Attractive light grey appearance (RAL 7035)
- Base fixing option

PRODUCT SPECIFICATIONS

Model	Product Code	Exte Height	rnal Sizes (i Width	mm) Depth*	Inte Height	ernal Sizes (r Width	nm) Depth	Volume (litres)	Weight (kg)	Shelves Included	Fire Rating (mins)
450	CDU-S2-450	1200	1250	585	1030	1110	390	446	440	2	60
550	CDU-S2-550	1950	940	585	1760	800	390	550	460	4	60
775	CDU-S2-775	1950	1250	585	1785	1110	390	773	650	4	60

^{*}Projection of handle: add 40mm

Model	Additional Cut Key	Removable Filing Shelf	Pull-out File Frame
All	✓	✓	✓

For drawings of these optional fittings see page 57

OPTIONAL FITTINGS PAGE 57 · LOCKING OPTIONS ON REQUEST





DPC



FIRE-RESISTANT DOCUMENT CABINET - 120 MINUTES RATINGS: CASH £1,000 • VALUABLES £10,000



KEY FEATURES

- · Certified high-capacity storage solution with fire protection, ideal for office environments such as banks, financial institutions, government offices and the public sector
- Certified by Underwriter's Laboratories according to UL 72 Class 350 for up to 120 minutes fire protection
- · Automatic mechanism ensures bolts are in place to resist fire whenever the door is closed
- Single and double door models available. Interlocking system prevents the safe being left unlocked
- Shelves are designed to accept A4 suspension files

- · Anchoring kit to fix the cabinet to the floor to prevent unauthorised removal
- · Lock options: Key Lock: EN 1300-certified Class A Electronic Lock: EN 1300-certified Class B Manual combination and dual lock options Alternative electronic lock options are available - see page 54
- Optional internal fittings: removable shelf, pull-out file frame, pull-out tray, lockable drawer, lockable cupboard - see page 57
- Attractive light grey finish (RAL 7035) dark grey facia (RAL 7016)

PRODUCT SPECIFICATIONS

Model	Product Code	Exte Height	ernal Sizes (r Width*	nm) Depth*	Inte Height	ernal Sizes (n Width**	nm) Depth	Volume (litres)	Weight (kg)	Shelves Included	Fire Rating (mins)
160	CDP-UG-160	859	759	605	700	600	382	160	235	1	120
240	CDP-UG-240	1209	759	605	1050	600	382	240	315	2	120
400W	CDP-UG-400W	1209	1160	605	1050	1000	382	401	500	2	120
320	CDP-UG-320	1559	759	605	1400	600	382	321	395	3	120
400T	CDP-UG-400T	1909	759	605	1750	600	382	401	470	4	120
670	CDP-UG-670	1909	1160	605	1750	1000	382	670	650	4	120

^{*}Projection of hinge: add 27mm and projection of handle: add 54mm • **Racking strips reduce internal width by 10mm

Model	Shelf	Pull-out Frame	Lockable Cupboard	Full Width Drawer	Pull-out Tray
160 / 240 / 320 / 400T	✓	✓	✓	✓	✓
400W / 670	✓	✓	✓	✓	✓

For drawings of these optional fittings see page 57

OPTIONS

Additional Key/s • Mechanical Combination Lock • Electronic Lock - Pulse 10

LOCK OPTIONS PAGE 54 • OPTIONAL FITTINGS PAGE 57





DATAGUARD NT



FIRE-RESISTANT DATA MEDIA SAFE - 120 MINUTES RATINGS: CASH £1,000

KEY FEATURES

- Certified fire-resistant safe for data media protection
- Ideal to protect all types of media. This safe also protects paper and cash up to £1,000
- Certified by SP Technical Research Institute of Sweden according to NT Fire 017 - 120 Diskette for up to 120 minutes data media
- · Slam action door to protect media without the door being locked
- · Programmable electronic lock as standard

- · Key lock option available as special order
- · Optional internal fittings: adjustable shelf, drawer - see page 57
- Attractive light grey finish (RAL 7035) with dark grey facia (RAL 7016)

PRODUCT SPECIFICATIONS

Model	Double of Gods	External Sizes (mm)		Internal Sizes (mm)			Volume	Weight	Fittings Included		Fire Rating	
Model	Product Code	Height*	Width	Depth*	Height**	eight** Width** Depth		(litres)	(kg)	Shelf	Drawers	(mins)
25E	CDG-UG-25E	530	546	566	280	346	306	30	145	1	-	120
40E	CDG-UG-40E	700	546	566	450	346	306	48	190	1	1	120
80E	CDG-UG-80E	1025	546	590	775	346	330	89	263	1	2	120
120E	CDG-UG-120E	1025	702	590	775	502	330	128	330	1	2	120

^{*}External heights and depths include plinth and handle projection • *Internal heights and widths are also equal to the clear opening measurements

Model	Special Order Key Lock Option	Shelf	Pull-out Drawer
25/40/80	✓	✓	✓
120	✓	✓	✓

For drawings of these optional fittings see page 57

OPTIONAL FITTINGS PAGE 57



DATAPLUS⁺S2 120DIS















KEY FEATURES

- · Combined fire and burglary protection for data media
- · Certified by ECB·S according to EN 14450, Level S2 for burglary protection
- Certified by ECB•S according to EN 1047-1 for up to 120 minutes data media fire protection
- Tested by Underwriter's Laboratories according to UL 72
- Slam action door to protect media without the door being locked
- · Anchor point to prevent unauthorised removal

- · Meets police approved standards
- EN 1300 Class A certified key lock fitted as standard
- Lock options: Mechanical and programmable electronic locks Alternative electronic lock options are available - see page 54
- Optional internal fittings: adjustable shelf, pull-out drawer, lockable cupboard - see page 57
- Attractive light grey appearance (RAL 7035)

PRODUCT SPECIFICATIONS

Model	Product Code	Exte Height	rnal Sizes (n Width	nm) Depth*	Inte Height	rnal Sizes (m Width	nm) Depth	Internal Volume (litres)	Weight (kg)	Fire Rating (mins)
110 - Size 1	CDA-S2-110	911	746	780	565	490	400	111	315	120
165 - Size 2	CDA-S2-165	1191	746	780	845	490	400	167	390	120
220 - Size 3	CDA-S2-220	1471	746	780	1125	490	400	221	490	120
315 - Size 4	CDA-S2-315	1941	746	780	1595	490	400	313	640	120
555 - Size 5	CDA-S2-555	1941	1036	830	1570	780	450	556	860	120

^{*}Projection of handle: add 65mm

Model	Additional Cut Key	Fixed Shelf	Lockable Compartment	Pull-out Drawer with Adjustable Dividers
110/165/220/315	✓	✓	✓	✓
555	/	/	/	/

For drawings of these optional fittings see page 57

LOCK OPTIONS PAGE 54 • OPTIONAL FITTINGS PAGE 57





FIRE FILE 60 & 120







FIRE-RESISTANT DOCUMENT FILE 60 & 120 MINUTES

KEY FEATURES

- · Certified fire-resistant 2, 3 and 4 drawer filing cabinets for the storage of documents
- Certified by Underwriter's Laboratories according to Standard 72, Class 350 Endurance for up to 60 and 120 minutes fire protection
- Day-catch fitted to each drawer to ensure that the contents are protected from fire as long as a drawer has been pushed closed, even if the cabinet is unlocked
- · High-quality steel sliders for easy access and use to accommodate A4 or foolscap filing

- · Fitted with key lock as standard
- The contents of the closed drawers are completely protected from fire even if one of the drawers has been accidentally left open
- Mechanical or electronic combination lock options available
- Independent locking on each drawer or dual locking available
- Light grey, powder-coated finish and modern design which blends nicely into any office environment (RAL 7035)

OTHER MODELS AVAILABLE

PRODUCT SPECIFICATIONS FOR FIRE FILE 60 - 25" DEPTH

Model	Product Code	Exte Height	ernal Sizes Width	(mm) Depth*	Inter Height	nal Sizes (r Width	nm)** Depth	Volume (litres)	Weight (kg)	Fire Rating (mins)
60 - 2 Drawer	CFF-25-60-2	784	551	635	290	387	460	104	164	60
60 - 4 Drawer	CFF-25-60-4	1510	551	635	290	387	460	208	291	60

^{*}Projection of handle (35mm) not included • **Each drawer's internal dimensions

PRODUCT SPECIFICATIONS FOR FIRE FILE 120 - 31" DEPTH

Model	Product Code	Exte Height	ernal Sizes Width	(mm) Depth*	Inter Height	rnal Sizes (n Width	nm)** Depth	Volume (litres)	Weight (kg)	Fire Rating (mins)
120 - 2 Drawer	CFF-31-120-2	784	551	779	290	387	604	136	197	120
120 - 3 Drawer	CFF-31-120-3	1147	551	779	290	387	604	204	273	120
120 - 4 Drawer	CFF-31-120-4	1510	551	779	290	387	604	272	328	120

^{*}Projection of handle: add 35mm • **Each drawer's internal dimensions

OPTIONS

Additional Key/s • Mechanical Combination Lock • Electronic Lock • Key Lock on any drawer for individual control

ELECTRONIC LOCK OPTIONS AVAILABLE ON REQUEST



VAULT DOORS SAFE DEPOSIT LOCKERS

Centurion Vault & Door	50
2000C & 3000F SDL	51
ModuleGuard	52

ICONS EXPLAINED











ECB•S European Certification Body



AIS
The Association
of Insurance
Surveyors







CENTURION VAULT & DOOR









BURGLARY-RESISTANT MODULAR VAULTS & DOORS

KEY FEATURES VAULT & DOOR


- · Designed for security companies, banks, government, pharmaceutical and high net-worth domestic installations providing optimum protection against attack
- Modular vaults and doors are available in a range of grades to suit any purpose and security requirement
- Both vaults and doors are tested and certified by the ECB•S to the latest security standard, EN 1143-1
- · Certified explosive and core drill protection available for Centurion vaults and doors
- · Centurion vaults consist of modular panels which are assembled together using a welded and/or bolted method of on-site construction

- · Centurion vault doors consist of the main strong room door, door frame and grille gate
- Can be integrated into various environments such as new buildings, existing buildings and to strengthen existing strong rooms
- · Bespoke design to suit customer requirements
- · Locking options for the Centurion vault door include key, electronic and integrated locking systems
- · Locking options for vaults see page 54

PRODUCT SPECIFICATIONS

Modular Vault Grades	Wall Panel Thickness (mm)	Vault Door Grades	Vault Door EX Grades	Vault Door CD Grades	Vault Door CD EX Grades
IV - V	75	V	V EX	-	-
V - VII	85	V - VII	V EX - VII EX	-	-
V - VIII	100	V - VIII	V EX - VII EX	VIII CD	VIII CD EX
IX / IX CD	125	IX	-	IX CD	IX CD EX
X / X CD	150	х	-	X CD	X CD EX
XI / XI CD	220	XI	-	XI CD	XI CD EX
XII / XII CD	280	XII	-	XII CD	XII CD EX
		XIII		XIII CD	XIII CD EX

CD denotes protection against diamond core drill bits • EX denotes protection against explosives



FOR MORE INFORMATION CONTACT INSAFE: 0800 52 63 88 • CHUBBSAFES@INSAFE.CO.UK



2000C & 3000F SDL



SAFE DEPOSIT LOCKERS - SUITABLE FOR BANKS, HOTELS & INDEPENDENT LOCKER RENTAL COMPANIES

KEY FEATURES


- Each locker is dual controlled by custodian and client
- Certified attack resistant locks to EN 1303:2005
- 2000C SDLs are certified to SBSC standard No. 10-516
- Manufactured in accordance with ISO 9001 and ISO 14001
- · Unique security design fast and easy to install
- Inner containers fibre and steel options
- · Numbering to customer specifications
- Configurations to suit all customer requirements available
- Exterior Finishes


2000C - powder coated paint finish to any RAL number 3000F - stainless steel finish

32A81S locks in brass or chrome finish


SAFE CONTROL ACCESS / MANAGEMENT SYSTEM

- Smooth locker rental, customer service, registration, pricing and client database
- Real time information including locker availability and events history
- · Access management swipe card and pin options
- Remote offsite system management using safe control, guardian locks can be deactivated remotely
- Columns supplied pre-wired





FOR MORE INFORMATION CONTACT INSAFE: 0800 52 63 88 • CHUBBSAFES@INSAFE.CO.UK



MODULEGUARD



GRADE II & III LIGHTWEIGHT SECURITY VAULT RATINGS (UP TO): CASH £35,000 • VALUABLES £350,000





KEY FEATURES

- · Designed to give reinforced protection for cash and valuables. Ideal for cash-rooms, archives and storage of larger items of value in commercial or domestic environments. Insurance cover may be increased by using safes inside a ModuleGuard enclosure
- · ModuleGuard security enclosures are certified Grade II & III by ECB•S in accordance with the EN 1143-1 certification for burglary resistance
- ModuleGuard is constructed using lightweight panels to provide the enclosure height and dimensions required. A variety of door sizes are available
- The lightweight panels reduce transportation costs, ease installation and allow installation where floor loads or access is restricted such as basements or upper floors
- · Modular construction enables assembly, disassembly and expansion of enclosures
- ModuleGuard Door Grade II & III may be installed to an existing or as part of a newly constructed security room
- · Approved by the Association of Insurance Surveyors

MODULEGUARD COMPACT · Certified six-sided enclosure and door to meet the minimum dimension requirements · Grade II or Grade III Clear door opening width of 900mm Approved by the Association of Insurance Surveyors Height Width Depth Compact Height Width 2140 2295 1395 Panels may be added to extend with or depth

DOOR SPECIFICATIONS

PANEL SPECIFICATIONS

Doors	Clear Opening H x W (mm)	Net Weight (kg)
Grade II / III	2055 x 750	690
Grade II / III	2055 x 900	830
Grade II / III	2055 x 1050	970
Grade II / III	2055 x 1200	1110
Grade II / III	2055 x 1350	1250
Grade II / III	2055 x 1500	1380

Panels	Standard Width (mm)	Thickness (mm)	Max Panel Length* (mm)	Net Weight (kg/m²)
Grade II	300	75	3945	123
Grade II	600	75	3945	246
Grade II	750	75	3945	308
Grade III	300	75	3945	128
Grade III	600	75	3945	256
Grade III	Grade III 750		3945	320

Door supplied with 1 x Class B key lock as standard. Locking options see page 54

FOR MORE INFORMATION CONTACT INSAFE: 0800 52 63 88 • CHUBBSAFES@INSAFE.CO.UK



KELNET-DS

CERTIFIED, ELECTRONIC HIGH-SECURITY
LOCKING SYSTEM FOR
SAFES, VAULTS AND DOORS

INSAFE.COM

LOCKING OPTIONS





PULSE 2

Our entry level electronic lock which can be used to open the safe. Additionally it has a master code and time delay features built-in.

Pulse 2 can be fitted as the primary single lock to all certified products up to Grade III or as a pair on Grade IV & V.

KEY FEATURES

- Total codes: 2
- 1 master code
- 1 user code
- Time delay: 1 99 minutes
- Opening window: 1 19 minutes

DEFINITIONS AND FEATURES

Our range of electronic locks shown here range from a standard electronic lock to products with time delay and time lock features to remote management locks. Definitions of the features are show on page 5.

CONTACT US

For more information please contact us: **INSAFE.COM** Chubbsafes@Insafe.co.uk 01892 55 70 70

PULSE 10

Ideal for commercial use with multiple users, manager and master codes and where a time delay is required between the lock being operated and the door being opened.

The Pulse 10 also has the optional function to raise a silent alarm if the lock is being operated under duress.

Pulse 10 can be fitted as the primary single lock to all certified products up to Grade III or as a pair on Grade IV & V.

KEY FEATURES

- Total codes: 10
- 1 master code
- 1 manager code
- · 8 user codes
- Time delay: 1 99 minutes
- Opening window: 1 19 minutes
- · Time delay override
- · Dual user option
- · Silent duress alarm option

TFCH 60

Commercial electronic lock with both time delay and time lock functions allowing commercial operators to program when the safe can be accessed.

The lock's audit trail shows over 5,000 events with time / date stamp.

KEY FEATURES

- Total codes: 60
- 1 master code
- 1 manager code
- 48 user codes
- 10 override codes
- Time delay: 1 99 minutes
- · Opening window: 1 19 minutes
- · Time delay override
- · Multiple time delays
- · Weekly time lock
- Dual user option
- · Silent duress alarm option
- Programming: Dallas / PC
- · One time code option
- Audit: 5,500 events
- · Audit trail: Time / date stamp

FOR EVEN MORE LOCKING OPTIONS VISIT CHUBBSAFES.CO.UK









TECHMASTER

The TechMaster allows remote management with supervision software. Now also available on APP for smartphone.

Each keypad can control up to 5 locks each with independent programming. Perfect to eliminate the use of keys or manage safes with several internal compartments.

The time delay and time lock can be programmed from the keypad and the audit function has 6,000 time and date events.

KEY FEATURES

- Total codes: 94
- · 2 master codes
- · 2 manager codes
- 89 user codes
- 1 override code
- Time delay: 1 99 minutes
- Opening window: 1 19 minutes
- · Time delay override
- · Multiple time delays
- · Weekly time lock
- · Dual user option
- · Silent duress alarm option
- · Audit: 6,000 events
- · Audit trail with time and date
- Remote management (TCP/IP, RS485)

PAXOS IP

Paxos Advance IP is a redundant* motorised lock for high security safes and vaults. If a fault is detected the lock switches to the redundant part of the system ensuring the safe or vault can always be opened. The audit function will always show the cause of the fault or security breach.

KEY FEATURES

- · Total codes: 100
- 1 master code
- 1 manager code
- 97 user codes
- 1 override code
- Time delay: Multiple and variable
- Time delay override
- Weekly time lock: Multiple and variable
- · Time lock override
- Dual user option
- Silent duress alarm option
- Audit: 10,000 events
- Optional remote monitoring and configuration via IP network
- · Dial knob or keypad options

*Redundant in engineering terms is the duplication of critical components to provide a fail-safe backup.

HALO

Your safe protects your money and valuables. Halo protects your safe.

Halo monitors your safe and in the event of attack will issue an alert. If the safe is stolen Halo's GPS will track its location

The Halo APP enables you to monitor and control the safe from your smartphone through a stand-alone 4G network.

Halo Pro for commercial applications allows remote management of all the safes on your estate independent of the alarm system.

Halo is the UK's first certified and monitored safe lock system.

KEY & OPTIONAL FEATURES

- Electronic safe lock features
- Mobile APP
- · Remote one time code
- Certified real-time monitoring
- · GPS / GSM tracker
- · Seismic monitoring
- Silent duress code
- Networked
- · CCTV integration
- ATM interlocking

TERMS & CONDITIONS

1 Variation of Terms and Conditions

All quotations are made and all orders accepted only on the following terms and conditions unless confirmed in writing by Insafe International Limited.

2 The Supplier

The supplier is Insafe International Limited, to whom payments should be made. Hereafter referred to as 'Insafe'.

3 The Buyer

The buyer is the name shown on the order/quotation. The buyer is responsible to Insafe for payment.

All orders placed are subject to acceptance by Insafe. Where part or full payment is required, monies must be received and cleared through the bank before a contract is established.

5 Cancellation Prior to Delivery

Cancellation requires prior written consent of Insafe. A cancellation fee will be required of 10% plus any unrecoverable costs. There are no refunds on 'Specials' (ie. bespoke designed products, non-standard products, etc).

6 Timed Delivery

We will do our best to make a delivery to you on a specified morning or afternoon but times cannot be guaranteed.

Insafe must be notified of goods which are to be returned as soon as reasonably practical. Returns shall only be accepted at Insafe's discretion and a handling charge of 20% of the price shall be levied against any returns except where Insafe has dispatched the goods incorrectly. The goods must be returned to Insafe in the same condition as they were dispatched. The buyer shall be responsible for all carriage charges relating to the returning product and any replacement. There are no refunds on 'Specials' (ie. bespoke designed products, non-standard products, etc).

Price is as specified in the quotation and/or confirmation of order: whichever is the later date. Unless otherwise specified, price does not include carriage.

9 Delivery Arrangements

Where deliveries or site work is involved all prices quoted and acknowledged are on the basis of free access and unimpeded working, during normal working hours, unless otherwise agreed in writing. Additional works found necessary at the time of installation/service will be agreed with the buyer and charged for.

10 Description of Goods and Services

- a) Company policy is one of constant improvement and it therefore reserves the right to alter any part of the specification of products and services without notice or obligation.
- b) All descriptive specification and drawings, particulars and dimensions forwarding specifications issued by Insafe are approximate only. Copyright in all such specifications and drawings are reserved and remain the property of Insafe.

11 Exclusions

Unless specifically stated in the quotation, redecoration and making good of decorations/paint work etc. disturbed during installation of equipment are excluded.

12 Invoice Oueries

Invoices must be queried within the first 7 days of the date on the invoice. If no query is submitted within this time frame, it will be taken as acceptance of the invoice.

13 Damage in Transit

Damage, loss or shortage in transit must be notified to the haulage contractor and Insafe in writing at the earliest practical opportunity and in any case within 3 working days of receipt of goods. In the event of non-delivery of any goods, this must be reported in writing to Insafe at the earliest practical opportunity and in any case within 7 working days of receipt of the invoice, quoting the invoice number and all relevant details. Insafe accept no responsibility whatsoever for loss, damage, shortage or nondelivery unless the above is carried out.

14 Despatch and Transit

Times quoted for delivery and/or despatch are to be treated as estimates only and are not the essence of the contract and Insafe shall not be liable in any manner whatsoever for failure to deliver and/or despatch within the stated time.

15 Passing of Ownership or Property

Unless agreed in writing, the title in all equipment whether installed or not shall remain with the supplier until the whole purchase price has been paid. None withstanding the retention of ownership by Insafe risk passed to the buyer is responsible for the safe keeping of the goods and will indemnify Insafe against loss by fire, theft or any other cause, until the goods have been paid for.

16 Force Majeure

Insafe shall not be liable for delay or non-delivery due to acts of God, lock-outs, labour disturbances, stoppage or other action by employees or third parties; in contemplation or furtherance of any dispute; or owing to any inability to procure products required for completing the contract; or for riots, malicious damage, civil commotion, trade disputes, government action, fire, floods, drought, break down of machinery, war or any other cause beyond Insafe's control.

17 Consequential Loss

Insafe cannot be held liable for any consequential losses, damages, costs or expenses or other claims experienced by the buyer/customer due to equipment failure; late or non-delivery of goods or services; Insafe's negligence or that of its employees, agents and associates or any connection which may arise with the supply of goods or

18 Warranty

Goods and services supplied by Insafe are supplied with the following warranty:

- a) Upon receipt by Insafe of notice in writing on any Upon receipt by insare or notice in writing on any alleged defect within 12 months from the date of delivery of goods, the company will replace or repair free of charge any item of the equipment requiring repair or replacement by reasons of defective material or workmanship.
- The warranty shall not apply to:
 i) Any part damaged by fair wear and tear, neglect, maltreatment, improper use or storage.

 ii) Any item that has been altered, repaired or serviced during the warranty period other than by Insafe.

19 Prevailing Laws

Any contracts through the acceptance of these terms and conditions shall be governed by the Laws of England.

20 Terms of Payment

Payment is due prior to order and attendance by either credit card, cheque or BACs. Where a credit account is held all Goods and Services supplied shall be paid within 30 days from the date they are invoiced. All monies become due if any in default



OPTIONAL FITTINGS

DUOGUARD / PROGUARD



REMOVABLE SHELF 20mm High ALL MODELS



REMOVABLE HEAVY DUTY SHELF 20mm High MODELS 40 - 450



EXTENDABLE SHELF MODELS 110 - 450



FULL WIDTH LOCKABLE DRAWER 100mm High MODELS 110 - 450



PULL-OUT FILE FRAME 37mm High

MODELS 110 - 450



LOCKABLE CUPBOARD 335mm High

MODELS 110 - 450



DATA MEDIA INSERT 364mm High DUOGUARD ONLY MODELS 110 - 450

TRIDENT/TRIDENT EX



REMOVABLE SHELF 20mm High

MODELS 110 - 600



REMOVABLE HEAVY DUTY SHELF 20mm High MODELS 110 - 120



FULL WIDTH LOCKABLE DRAWER 200mm High MODELS 210 - 600



LOCKABLE COMPARTMENT 200mm High MODELS 170 - 600



LOCKABLE COMPARTMENT 400mm High MODELS 170 - 420

EUROPA DEPOSIT / PROGUARD DT



RETAINING SHELF



RETAINING CUPBOARD



ARCHIVE CABINET

REMOVABLE SHELF



PULL-OUT FILE FRAME



LOCKABLE COMPARTMENT

DUPLEX



REMOVABLE FILING SHELF



PULL-OUT FILE FRAME

DPC



REMOVABLE SHELF

ALL MODELS



PULL-OUT FILE FRAME

ALL MODELS



LOCKABLE CUPBOARD 300mm High MODELS 160/240/320/400T



LOCKABLE CUPBOARD MODELS 400W/670



FULL WIDTH DRAWER 80mm High MODELS 160/240/320/400T



HALF WIDTH LOCKABLE DRAWERS 80mm high MODELS 400W/670



PULL-OUT TRAY ALL MODELS

DATAGUARD NT



REMOVABLE SHELF



DATAPLUS+



REMOVABLE SHELF

ALL MODELS



LOCKABLE CUPBOARD

MODELS 110/165/220/315



LOCKABLE CUPBOARD

MODEL 555



PULL-OUT DRAWER ADJUSTABLE DIVIDERS ALL MODELS

CONTACT US

Whether you have a question about our products or service, to place an order, for a quotation, or to make an appointment, our team is ready to help.

CONTACT OUR SUPPORT & SALES TEAM 0800 52 63 88

Chubbsafes@Insafe.com INSAFE.COM

ONLINE CATALOGUE CHUBBSAFES.CO.UK

CHUBBSAFES UK SHOWROOMS

Our showrooms are available for you to visit to see our full range of Chubbsafes products by appointment Chubbsafes NOW OPEN
Insafe House
Decimus Park Kingstanding Way
Tunbridge Wells TN2 3GP

Chubbsafes OPENING SOON
The Chubb Buildings
Fryer Street
Wolverhampton WV1 1HT



NATIONWIDE SAFE & VAULT ENGINEERS

Insafe provide a nationwide, 24 hour, fast response service for all types and brands of safes and vaults. Our engineers are highly trained to carry out all types of service from cutting an extra safe key, to opening locked-out safes and vaults.



NATIONWIDE DELIVERY & INSTALLATION

Insafe are here to help you to select the right safe or vault for you, your business or organisation. We will provide an expert on-site or remote installation survey and arrange all aspects of delivery, installation and commissioning.

INSAFE.COM









